Contents of Volume 36 • 1996

Abbas YA, Abdelaal MY: Synthesis and characterization of polydi(3,4-dihydro-2H-pyran-2-methyl) adipate hyrogel 273
Abdelaal MY → Abbas YA
Abetz V → Neumann C
Acosta JL → Linares A
Aerts J: Polymer crystal silverware: a fast method for the prediction of polymer crystal structures 645
Alvarez-Castillo A → Olivares M
Andrade CT → Rocha HO
Arnal ML, Müller AJ, Méndez B: Synthesis and characterization of aPP/aPS graft copolymers 687
Arrowsmith D → Kaminsky W
Avci D, Mathia LJ: Examples of new synthetic routes to pendant ester-ether derivatives of α-hydroxymethylacrylate polymers 133
Azevedo MFP → Dutra RCL
Azuma C → Dias ML
Azuma C → Rocha HO

Bai G, Hu X, Yan Q: Surface modification of polyethylene film by liquid phase photograft polymerization 503
Bai X → Chen Y
Baltussen JJM, Northolt MG: A model for the tensile curve with yield of a polymer fibre 125
Barbosa RV → Dutra RCL
Barría B → Rivas BL
Barros de GG → Sales MJA
Barson CA, Bevington JC, Breuer SW: Comparison of some 4- and 4,4'-substituted derivatives of stilbene for their reactivities towards the benzoyloxy radical 423
Bartels VT, Stamm M, Mortensen K: Change of phase behaviour of diblock copolymers upon application of pressure 103
Barton JM → Hamerton I
Baskan A, Denizligil S, Yagci Y: Polytetrahydrofuran macroinimer 27
Bayülken S → Mustafaev MI
Bello A → Benavente R
Bello JB, Müller AJ, Sáez AE: Effect of intermolecular cross links on drag reduction by polymer solutions 111
Benavente R, Pereña JM, Bello A, Pérez E, Locatelli P, Fan ZQ, Zucchi D: Thermal and viscoelastic behaviour of copolymers of propene and 1-hexene 249
Bergmans KJR → Hofsté JM
Bevington JC → Barson CA
Bezerra CC → Rodrigues JF
Boer de J → Hofsté JM
Böhme F → Zebger I
Boutault K → Renard E
Breuer SW → Barson CA
Brigodiot M → Mezoul G
Briscoe BJ → Stuart BH
Bubeníková Z → Nedbal J
Bucio E → Desales R
Burillo G → Vásquez C
Busfield WK, Jenkins ID, Van Le P: Investigations into the AIBN initiation steps in the free radical polymerization of acrylonitrile by the aminoxyl trapping technique 435

Cai RF → Chen Y
Canessa GS → Pooley SA
Cantow HJ → Riemann RE
Carbacho HH → Cárdenas TG
Cárdenas TG, Salgado CE, Carbacho HH: Metal polymers. XII. Synthesis and molecular weights of metal poly(styrene-*co*-ethyl methacrylate) 569
Carrasco H → Olivares M
Castaño VM → Olivares M
Chen WC, Lin HY: Synthesis and characterization of polymer light conduits 51
Chen Y, Cai RF, Huang ZE, Bai X, Yu BC, Jin W, Pan DC, Wang ST: Researches on the photoconductivity and UV-visible absorption spectra of the first C_{60}-chemically modified poly(N-vinylcarbazole) 203
Cheng M → Liao B
Chern YT, Wu BS, Huang CM: The behavior of interfacial polycondensation on synthesizing of poly(amic-ester)s: homogeneity of the interfacial films 609
Chern YT: Radical polymerization and antibacterial activity of copolymers based on *N*-1-adamantylmaleimide 59
Cho HN, Lee JY, Kim SH, Choi SK, Kim CY: Synthesis and properties of poly(dipropargyl-16-crown-5) 391
Choi SK → Cho HN
Cong G → Liao B
Cun LF → Peng YX

Dai HS → Peng YX
Dai KH, Scobbo JJ Jr: The effect of curing on the crystallization of poly(phenylene sulfide) 489
Deng H, Soga K, Shiono T: Isotactic copolymerization of methyl methacrylate (MMA) with alkyl acrylates 667
Denizligil S → Baskan A
Desales R, Bucio E, Ogawa T: Free radical copolymerization of 4-phenylbut-1-en-3-yne with methylmethacrylate 287
Dias ML, Azuma C, Mano EB: Size exclusion behavior of polymers in amide solvents IV. Elution characteristics of acrylonitrile polymers in *N,N*-dimethylacetamide 729
Diaz FR → Tagle LH

Dinçer B → Mustafaev MI
Ding J, Feng J, Yang Y: A preliminary morphological evidence for the existence of back-flow effect associated with the formation of band texture after cessation of shear for a polymeric liquid crystal 773
Diniz MF → Dutra RCL
Dong YJ → Peng YX
Donkai N → Hoshino H
Douhi A, Fradet A: Study of bulk chain-coupling reactions. IV. Synthesis of poly(polyester-block-polyamide) using 2,2'-bis(2-oxazoline) or 2,2'-bis(5,6-dihydro(4H)-1,3-oxazine) as chain-coupling agents 455
Dutra RCL, Lourenço VL, Diniz MF, Azevedo MFP, Barbosa RV, Soares BG: Poly(ethylene-*co*-vinyl alcohol-*co*-vinyl mercaptoacetate) (EVALSH)-determination of the vinyl mercaptoacetate content by thermogravimetric analysis and FTIR spectroscopy 593

Eichhorn KJ → Zebger I
Erkol AY → Mustafaev MI
Eroğlu MS, Hazer B, Güven O: Synthesis and characterization of hydroxyl terminated poly-(butadiene)-*g*-poly(glycidyl azide) copolymer as a new energetic propellant binder 695
Espejo E → Pooley SA

Fähnrich J → Nedbal J
Fan ZQ → Benavente R
Feng J → Ding J
Förster S, Liu G, Vancso GJ: Estimation of the linear thermal expansion coefficient in friction-deposited, oriented poly(tetrafluoroethylene) films by temperature-dependent lateral force microscopy 471
Fradet A → Douhi A
Friedrich C → Riemann RE
Fujiwara H, Tanaka J, Horiuchi A: Mechanochemical block copolymerization in heterogeneous systems of the solid polyethylene with acrylamide aqueous solutions by ultrasonic irradiation 723

Gargallo L → Opazo A
Godoy A → Tagle LH
Gomes AS → Martins JCA
Gronski W → Sänger J
Guerin P → Leboucher-Durand MA
Guerin P → Renard E
Guo Q → Han M
Güven O → Eroğlu MS
Güven O → Karadağ E

Hamerton I, Howlin BJ, Jones JR, Liu S, Barton JM: Preparation of metal-aromatic diamine complexes and their influence on the cure of a commercial epoxy resin 295
Han M, Shi L, Ye M, Guo Q: Characterization of viscoelastic properties of polyacrylamide/Cr(III) hydrogels 483
Han SG → Lee HJ
Haruyama T → Suzuki M
Hasegawa K → Kanbara T
Hashimoto S → Kurita K
Hatada K, Nishiura T, Kitayama T, Tsubota M: Preparation and solution properties of uniform three-arm star poly(methyl methacrylate) 399
Hazer B → Eroğlu MS
Heinze T → Vogt S
Hoffmann I → Schirle M
Hofsté JM, Bergmans KJR, de Boer J, Wevers R, Pennings AJ: Short aramid-fiber reinforced ultra-high molecular weight polyethylene 213
Höhn A → Wörner C
Holler P → Toman L
Horiuchi A → Fujiwara H
Hoshino H, Urakawa H, Donkai N, Kajiwara K: Simulation of mesophase formation of rodlike molecule, imogolite 257
Howlin BJ → Hamerton I
Hu X → Bai G
Huang CM → Chern YT
Huang J, Yang Y, Yang B, Liu S, Shen J: Synthesis of the CdS nanoparticles in polymer networks 337
Huang MY → Wang TJ
Huang Y, Petermann J: Interface layers of fiber reinforced composites with transcrystalline morphology 517
Huang Y → Liao B
Huang ZE → Chen Y
Hwang DH, Kang IN, Jang MS, Shim HK, Zyung T: Green electroluminescent diode from poly(2-trimethylsilyl-1,4-phenylene vinylene) 383

Ii A → Suzuki M
Ilavský M → Nedbal J
Inagaki N, Tasaka S, Sei Y: Plasma polymer thin films of zinc phthalocyanines for NO_2 gas sensor device 601
Inoue H → Kawakami Y
Ishii S → Kurita K
Ishii T → Kanbara T
Itoh T → Kobayashi H

Jang MS → Hwang DH
Jenkins ID → Busfield WK
Jhon MS → Jung JC
Jiang YY → Wang TJ
Jin W → Chen Y
Jones JR → Hamerton I
Jung JC, Lee KK, Jhon MS: The dispersion of polymethylsilsesquinoxane into polyimide 67

Kajiwara K → Hoshino H
Kajiyama T → Liang T
Kaminsky W, Arrowsmith D, Winkelbach HR: Synthesis by metallocene/MAO catalyst and functionalization of poly(ethene-*co*-4-vinylcyclohexene) 577
Kanbara T, Ishii T, Hasegawa K, Yamamoto T: Preparation of soluble and fluorescent poly(arylene)s by 1,3-dipolar polycycloaddition and properties of the polymers 673
Kanda K → Kato M
Kang CK → Lee HK
Kang IN → Hwang DH
Karadağ E, Saraydin D, Güven O: A study on the adsorption of some cationic dyes onto acrylamide/itaconic acid hydrogels 745
Karger-Kocsis J: Towarde phase transformation toughened semicrystalline polymers 119
Kato M, Kanda K, Kimura T, Matsuda H, Nakanishi H: Synthesis of polymer bearing azo-dye chromophore with photocrosslinkable moiety for nonlinear optics 407
Kausch HH → Plummer CJG
Kawakami Y → Nunomoto S
Kawakami Y, Inoue H, Kishimoto N, Mori A: Synthesis and characterization of liquid crystalline polystyrenes with disiloxane linkage in the spacer 652
Kilian HG → Schirle M
Kim CH → Kim HT
Kim CY → Cho HN
Kim HK → Lee HJ
Kim HT, Lee KH, Kim CH, Park JK: Spontaneous gelation of poly(oligo-oxyethylene methacrylate) 73
Kim HT, Park JK: Poly(oligo-oxyethylene methacrylate-*co*-alkali metal acrylamidocaproate) as a single ion conductor 427
Kim HY → Lee HJ
Kim JW, Kim JY, Suh KD: Preparation of epoxy acrylate emulsion using mixed surfactants and its polymerization 141
Kim JY, Suh KD: Swelling behavior of novel polyurethane hydro-xerogels 737
Kim JY → Kim JW
Kim SH → Cho HN
Kimura T → Kato M
Kishimoto N → Kawakami Y
Kitayama T → Hatada K
Klemm D → Vogt S
Kobayashi H, Itoh T, Kubo M: Syntheses and characterization of copolymers of dicyanoquinone methides with α-acetoxystyrenes 149
Koivumäki J: Properties of ethylene/1-octene, 1-tetradecene and 1-octadecene copolymers obtained with Cp_2ZrCl_2/MAO catalyst: effect of composition and comonomer chain length 7
Kubo M → Kobayashi H
Kurita K, Hashimoto S, Ishii S, Tomonori M: Chitin/poly(methyl methacrylate) hybrid materials 681
Lalot T → Mezoul G
Langlois V → Leboucher-Durand MA
Langlois V → Renard E
Lay R → Sänger J
Leboucher-Durand MA, Langlois V, Guerin P: 4-Carboxy-2-oxetanone as a new chiral precursor in the preparation of functionalized racemic or optically active poly(malic acid) derivatives 35
Lee HJ, Kim HK, Lee MH, Han SG, Kim HY, Won YH: Synthesis and electro-optical properties of methacrylate polymers containing hexyl sulfone stilbene chromophore 279
Lee HK, Kang CK, Zin WC: Effect of added homopolymer on the microphase separation transition temperature of block copolymer 375
Lee JY: A novel synthetic route to highly crosslinked poly(alkylvinylether)s. Synthesis and free radical polymerization of ethyl vinyl ethers containing the electron acceptors benzylidenemalononitrile and benzylidenecyanoacetate 525
Lee JY: Synthesis and free radical polymerization of *p*-(2-methacryloyloxyethoxy)-*N*-(4-nitrostilbenzylidene)aniline for nonlinear optical applications 533
Lee JY → Cho HN
Lee KH → Kim HT
Lee KK → Jung JC
Lee MH → Lee HJ
Li H → Zhang R
Liang T, Tokunaga K, Yamashita A, Takahara A, Kajiyama T: Relationship between nonlinear dynamic viscoelasticity and fatigue behaviors of glassy polymer under various fatigue test conditions 477
Liao B, Huang Y, Cheng M, Cong G: Studies on mechanism of phase transformation of carboxylated poly(phenylene oxide) and polystyrene blend by Fourier transform infrared spectrometry 79
Lin HY → Chen WC
Linares A, Acosta JL: Dynamic mechanical properties of binary and ternary blends based on PVDF 241
Liu G → Förster S
Liu JL → Peng YX
Liu S → Hamerton I
Liu S → Huang J
Locatelli P → Benavente R
López D → Vásquez C
López-Valdivia H → Olivares M
Lourenço VL → Dutra RCL
Lukáš R → Toman L

Ma ZH → Wang TJ
Malavašič T → Mirčeva A
Mano EB → Dias ML
Maréchal E → Mezoul G
Martins JCA, Novack KM, Gomes AS: Thermotropic polyester: the influence of the spacer on the physical properties 369

Mathia LJ → Avci D
Matsuda H → Kato M
Méndez B → Amal ML
Mezoul G, Lalot T, Brigodiot M, Maréchal E: Enzyme-catalyzed syntheses of poly(1,6-hexanediyl isophthalate) and poly(1,6-hexanediyl terephthalate) in organic medium 541
Mijangos C → Reinecke H
Mirčeva A, Malavašič T: Bromine-containing polyurethane ionomers 189
Mitra M, O'Hagan D: The synthesis of a homochiral methacrylate macromonomer by polymerization of (R)- or (S)-methyl β-hydroxyisobutyrate 311
Monteiro AL, de Souza MO, de Souza RF: Low pressure ethylene oligomerization with a nickel-P^O complex 331
Monthéard JP, Zerroukhi A, Ouillon I, Raihane M, Pham QT: Microstructure of copolymers of vinylidene cyanide, methacrylonitrile and acrylonitrile with methyl α acetoxyacrylate, a captodative monomer 709
Mori A → Kawakami Y
Mortensen K → Bartels VT
Mülhaupt R → Wörner C
Müller AJ → Amal ML
Müller AJ → Bello JB
Mustafaev MI, Saraç AS, Erkol AY, Bayülken S, Dinçer B, Sezer E: Effects of Cu^{2+} on stability and composition of water soluble ternary polyacrylic acid-Cu^{2+}-protein complexes against radiation damage 623

Nakanishi H → Kato M
Nedbal J, Fähnrich J, Valentová H, Ilavský M, Bubeníková Z: Dielectric and mechanical behaviour of polyurethane networks from poly(oxypropylene)diols of -triols and diisocyanate 233
Neumann C, Abetz V, Stadler R: Indication of an order-order-transition by a partial disordering in ABC-triblock copolymers 43
Nishiura T → Hatada K
Northolt MG → Baltussen JJM
Novack KM → Martins JCA
Nunes RCR → Vieira A
Nunomoto S, Ohno T, Shirakawa S, Kawakami Y: Copolymerization of aromatic polyamide macromonomers with methyl methacrylate 703

O'Hagan D → Mitra M
Ogawa T → Desales R
Ogawa T → Vásquez C
Ohno T → Nunomoto S
Oliva E → Olivares M
Olivares M, López-Valdivia H, Vázquez-Polo G, Carrasco H, Alvarez-Castillo A, Oliva E, Castaño VM: Studies on the effects of γ-radiation on the mechanical properties of Nylon 6-12 fibers 629
Opazo A, Gargallo L, Radić D: Blends of poly(2-hydroxyethyl methacrylate)/(styrene-*co*-dialkyl itaconates) and poly(N-vinyl-2-pyrrolidone)/(styrene-*co*-dialkyl itaconates) 511
Ouillon I → Monthéard JP

Padilla A → Sánchez-Solís A
Pan DC → Chen Y
Park JK → Kim HT
Peng YX, Dong YJ, Liu JL, Dai HS, Cun LF: Effect of allylic halides on cationic polymerization of 1,3-pentadiene 443
Pennings AJ → Hofsté JM
Peppas NA → Vakkalanka SK
Pereña JM → Benavente R
Pérez E → Benavente R
Petermann J → Huang Y
Pham QT → Monthéard JP
Pieper T → Schirle M
Plummer CJG, Kausch HH: The effect of melting point distribution on DSC melting peaks 355
Pooley SA, Canessa GS, Rivas BL, Espejo E: Spontaneous copolymerization of *N*-(2-hydroxyethyl)ethyleneimine with maleic anhydride 415
Pospiech D → Zebger I
Puig CC: The nucleation effect of linear polyethylene lamellae over the crystallization of branched polyethylene 361

Rabagliati FM → Terraza CA
Radhakrishnan K → Srinivasa Reddy S
Radić D → Opazo A
Raihane M → Monthéard JP
Reinecke H, Mijangos C: PVC modification with bifunctional thiol compounds 13
Reinking MK: Studies on alkane formation in vanadium-based ethylene polymerizations 563
Renard E, Boutault K, Langlois V, Guerin P: Stereoisomers composition of 4-[(1'-methylpropyl)oxycarbonyl]-2-oxetanone and related compounds, as precursors of functional polyesters, determined by chiral gas chromatography 585
Riemann RE, Cantow HJ, Friedrich C: Rheological investigation of form relaxation and interface relaxation processes in polymer blends 637
Rivas BL, Barría B: Synthesis and characterization of poly(2-methylaziridine) 157
Rivas BL → Pooley SA
Rocha HO, Andrade CT, Azuma C, Visconte LLY: Application of photosensitive surfactant based on natural rubber in emulsion polymerizations 197
Rodrigues JF, Bezerra CC: A viscometric method for the determination of induction period for polymer thermal oxidation 347
Rodríguez-Baeza M, Zapata M: Synthesis and characterization of copolymers obtained from 1,3,5-trioxane and octamethylcyclotetrasiloxane by triflic acid initiator 173
Rösch J → Wömer C

Saegusa T → Suzuki M
Sáez AE → Bello JB
Sales MJA, Barros de GG: Effect of iron(III) oxide on the thermal polymerization of methyl methacrylate in low density polyethylene matrix 495
Salgado CE → Cárdenas TG
Sánchez-Solís A, Padilla A: Effect of sands on poly(vinyl chloride) resistance to ultraviolet light 753
Sänger J, Tefehne C, Lay R, Gronski W: A simplified procedure of anionic polymerization of styrene and dienes using 4,5-methylene-phenanthrene as an indicator 19
Saraç AS → Mustafaev MI
Saraydin D → Karadağ E
Schirle M, Hoffmann I, Pieper T, Kilian HG, Stadler R: Spherulite formation in a "non-crystalline" two-dimensional hydrogen-bond assembly 95
Scobbo JJ Jr → Dai KH
Sei Y → Inagaki N
Sezer E → Mustafaev MI
Shao Z → Wang Q
Shen J → Huang J
Shen J → Zhang R
Shi L → Han M
Shim HK → Hwang DH
Shiono T → Deng H
Shirakawa S → Nunomoto S
Siesler HW → Zebger I
Silva da NM, Tavares MIB: Mobility study of amorphous polymers by high-resolution NMR at solid-state 209
Sivaram S → Srinivasa Reddy S
Soares BG → Dutra RCL
Soga K → Deng H
Souza de MO → Monteiro AL
Souza de RF → Monteiro AL
Spěváček J → Toman L
Srinivasa Reddy S: A comparative study of tetra-isobutyldialuminoxane and methylaluminoxane - a cocatalysts for Cp_2ZrCl_2 catalyzed ethylene polymerization 317
Srinivasa Reddy S, Radhakrishnan K, Sivaram S: Methylaluminoxane: synthesis, characterization and catalysis of ethylene polymerization 165
Stadler R → Schirle M
Stadler R → Neumann C
Stamm M → Bartels VT
Stejny J: The effect of crosslinking on the glass transition temperature and the density of diethylene glycol bis(allylcarbonate) polymer networks 617
Stuart BH, Briscoe BJ: The effect of crystallinity on the scratch hardness of poly(ether ether ketone) 767
Stuart BH: Temperature studies of polycarbonate using Fourier transform Raman spectroscopy 341
Suh KD → Kim JW
Suh KD → Kim JY
Suzuki M, Haruyama T, Ii A, Saegusa T: New ring-opening polymerization via a π-allylpalladium complex. 4. Palladium-catalyzed decarboxylative polymerization of cyclic carbonate 265

Tagle LH, Diaz FR, Godoy A: Polymerization by phase transfer catalysis 21. Synthesis of poly-(amido-carbonate)s and poly(amido-thiocarbonate)s 717
Takahara A → Liang T
Tanaka J → Fujiwara H
Tasaka S → Inagaki N
Tavares MIB → Silva da NM
Tefehne C → Sänger J
Terraza CA, Rabagliati FM: Further studies on styrene polymerization using diphenylzinc-additive systems 449
Tokunaga K → Liang T
Toman L, Spěváček J, Holler P, Lukáš R: Effect of PVC on low-polar isobutylene polymerization in the presence of BCl_3.II. Vinyl chloride/2-chloropropene copolymer as an initiator 557
Tomonori M → Kurita K
Trumbo DL: Analysis of the ^{13}C-NMR and ^{1}H-NMR spectra of poly(2,5-dimethyl-3-vinyl thiophene) 181
Trumbo DL: Preliminary analysis of the ^{1}H-NMR and ^{13}C-NMR spectra of poly(5-methoxy-2-vinyl thiophene) 463
Tsubota M → Hatada K

Urakawa H → Hoshino H

Vakkalanka SK, Peppas NA: Swelling behavior of temperature- and pH-sensitive block terpolymers for drug delivery 221
Valentová H → Nedbal J
Van Le P → Busfield WK
Vancso GJ → Förster S
Vásquez C, López D, Burillo G, Ogawa T: Thermal crosslinking of poly(methyl methacrylate-*co*-*N*,*N*-dimethylaminopropylamide) 325
Vázquez-Polo G → Olivares M
Vieira A, Nunes RCR, Visconte LLY: Mechanical properties of NR/BR/cellulose II composites 759
Visconte LLY → Rocha HO
Visconte LLY → Vieira A
Vogt S, Klemm D, Heinze T: Effective esterification of carboxymethyl cellulose in a new non-aqueous swelling system 549

Wang Q, Shao Z, Yu T: The synthesis and characterization of polyethylene succinamide (Polyamide 24) 659
Wang ST → Chen Y

Wang TJ, Ma ZH, Yan YY, Huang MY, Jiang YY: Magnesium oxide-supported polytitazane cobalt-(III) complex for catalytic epoxidation of α-pinene with molecular oxygen 1
Wevers R → Hofsté JM
Winkelbach HR → Kaminsky W
Won YH → Lee HJ
Wömer C, Rösch J, Höhn A, Mülhaupt R: Syntheses of mono(1,3-oxazolin-2-yl)-terminated oligopropene macromonomers and novel polymers containing oligopropene side chains 303
Wu BS → Chem YT

Yagci Y → Baskan A
Yamamoto T → Kanbara T
Yamashita A → Liang T
Yan Q → Bai G
Yan YY → Wang TJ
Yang B → Huang J
Yang Y → Ding J
Yang Y → Huang J
Ye M → Han M
Yu BC → Chen Y
Yu T → Wang Q

Zapata M → Rodríguez-Baeza M
Zebger I, Pospiech D, Böhme F, Eichhorn KJ, Siesler HW: Rheo-optical Fourier transform infrared spectroscopy of a liquid-crystalline block copolymer 87
Zerroukhi A → Monthéard JP
Zhang R, Zhang X, Li H, Zhao B, Shen J: A highly ordered polymeric Langmuir-Blodgett film 227
Zhang X → Zhang R
Zhao B → Zhang R
Zin WC → Lee HK
Zucchi D → Benavente R
Zyung T → Hwang DH

Indexed in *Current Contents*

Subject Index

ABC-triblock 43
α-Acetoxystyrenes 149
Acrylamide 503
-/itaconic acid hydrogels 745
Acrylic acid 221, 503
Acrylonitrile 709, 729
N-1-Adamantylmaleimide 59
AFM 471
AIBN initiation steps, acrylonitrile 435
Alkane formation 563
Alkyl acrylate/methyl methacrylate 667
Alkyl vinyl ethers, electron-rich 525
N-Alkylethyleneimines 157
Allyl bromide/allyl chloride 443
π-Allylpalladium complex, ring-opening polymerization 265
Amide solvents 729
Aminobenzoic acid 703
Aminoxyl trapping technique 435
Amorphous polymers, mobility study 209
Amphiphiles 227
Antibacterial activity 59
aPP/aPS grafts 687
Aramid-fiber reinforced UHMWPE 213
Attenuated total reflection infrared spectroscopy (ATR-IR) 503
Azo-dye chromophores 407
Back-flow effect 773
Band texture 773
Benzoyl peroxide 423
Benzoyloxy radical, stilbene 423
Benzyl chloride 449
Benzylidenecyanoacetate 525
Benzylidenemalononitrile 525
4-Benzyloxycarbonyl-2-oxetanone 35
Benzyltriethylammonium chloride 609
Binder 695
Bis(cyclopentadienyl)titanium(IV)dichloride-alkylaluminum 317
2,2'-Bis(5,6-dihydro(4H)-1,3-oxazine) 455
1,6-Bis(4-hydroxyphenyl-carbamoyl)-hexamethylene 717
2,2'-Bis(2-oxazoline) 455
Blends, compatibility 241
-, miscibility 511
Block copolymer, microphase separation transition temperature 375
Block terpolymers, temperature/pH-sensitive 221
Bovine serum albumin 623
Bromine, polyurethane ionomers 189
Butadiene rubber 759
t-Butyl α-chloroacetoxymethylacrylate 133
t-Butyl α-hydroxymethylacrylate 133
Butyllithium 19

C_{60}-PVK 203
Captodative monomer 709
4-Carboxy-2-oxetanone 35
Carboxymethyl cellulose, esterification 549
Carnauba wax 347
Cationic dyes 745
CdS nanoparticles 337
Cellulose ether 549
- filler 759
Chiral gas chromatography 585
Chitin/poly(methyl methacrylate) 681
3-Chloro-1-butene 443
Clay 257
Compatibility 241, 687
Compatibilizer 637
Composites, fiber-reinforced 517
Copolyester imide 87
Copper 623
Core-shell composite 141
Cp_2ZrCl_2/MAO 7, 317
CR-39 resin 617
Crosslinking 325
Crown ethers 391
Crystalline density 645
Curing, poly(phenylene sulfide) 489
Cyanoisopropyl radical 435
Cyclic carbonate, palladium-catalyzed decarboxylative polymerization 265

Decarboxylative polymerization, cyclic carbonate 265
Di(3,4-dihydro-2H-pyran-2-methyl) adipate 273
α,ω-Diamino oligomers 455
Diblock copolymers, change of phase behavior 103
Dibromoneophentyl glycol 189
4,4'-Dichloroformyl-α,ω-diphenoxy alkanes 369
Dichloromethane 609
Dicyanoquinone methides/α-acetoxystyrenes 149
Dienes 19
-, conjugated 443
Diethylene glycol bis(allyl carbonate) 617
3,6-Diethynyl-9-hexylcarbazole 673
2,6-Diethynylpyridine 673
4,4'-Difluorostilbene 423
3,4-Dihydro-2H-pyran 273
4,4'-Dihydroxy-α,ω-diphenoxy alkanes 369
Diisocyanate 233
Dimethoxycarbonylterephthaloyl chloride 609
5,5-Dimethyl-4-ethenyl-1,3-dioxan-2-one 265
N,N-Dimethylacetamide 549, 729
N,N-Dimethylaminopropylacrylamide 325
N,N-Dimethylformamide 729
Dimethylsiloxane 173
Dimethylsulfoxide 549
Dinitrile N-oxide 673
4,4'-Diphenylmethane diisocyanate 233
Diphenylzinc 449
Disiloxane linkage, polystyrenes 652
Drag reduction, intermolecular crosslinks 111
Drug carriers 35
Drug delivery 221, 273
DSC melting peaks, melting point distributions 355

Elastomer-cellulose II 759
Electroluminescent diode, green 383
Electrolytes, solid polymer 427
Enyne hydrocarbons, conjugated 287
Epichlorohydrinethylene diamine 227
Epoxidation 1
Epoxy acrylate emulsion 141
Epoxy resin, cure, metal-aromatic diamine complexes 295
Etching 517
Ethene 577
Ethyl α-chloroacetoxymethacrylate 133
Ethyl α-hydroxymethylacrylate 133
Ethyl vinyl ethers 525
Ethyl-*N*-(2-methacryloyloxyethyl)]amino-4'-(2-cinnamoyloxyethyloxycarbonyl)-2'-Ethylene/1-octene 7
Ethylene oligomerization, low pressure 331
- polymerization, Cp_2ZrCl_2 317
- -, vanadium-based 563
Ethylene glycol bis(allyl carbonate) 617
Ethylene-propylene-diene 209
Ethyleneimine 157
EVALSH 593

Fatigue behavior 477
FEP tubes 51
Fiber reinforced composites, interface layers 517
Fibroin 659
Flame retardants 189
4-Fluorostilbene 423
Form relaxation 637
Fourier transform Raman 341
FTIR, rheo-optical 87
- spectroscopy 593

Gas sensor device, NO_2 601
Gelation, spontaneous 73
Gibbsite 257
Glassy polymer, fatigue 477
Glycidyl methacrylate 503
Guar gum 111

1-Hexene 249
Hexyl sulfone stilbene chromophore 279
Hydro-xerogels 737
Hydrogels 221, 745
-, drug delivery 273
-, polyacrylamide/Cr(III) 483
p-(2-Hydroxyethoxy)-*N*-(4-stilbenzylidene)aniline 533
2-Hydroxyethyl methacrylate 221
N-(2-Hydroxyethyl)ethyleneimine 415

α-Hydroxymethylacrylate 133
Hydroxypropyl guar 111
Hydroxypropylcellulose 773

Imogolite 257
Impact modifier 141
Induction period, polymer thermal oxidation 347
Interface relaxation 637
Interfacial films 609
Ion conductors 427
- etching 517
Isobutylene polymerization, low-polar 557
Isobutyraldehyde 1
N-Isopropylacrylamide 221
Itaconic acid/acrylamide hydrogels 745

Langmuir-Blodgett film, highly ordered 227
Lateral force microscopy (LFM) 471
LB film 227
LC block copolymers 87
LDPE, MMA 495
LED 383
LFM 471
Light conduits 51
Light-emitting π-conjugated polymers 383
Low density polyethylene (LDPE) 495

Macroinimers 27
Maleic anhydride 197, 415
Maleimides, N-substituted 59
Malolactonic acid 35
Malononitrile 525
MAO 165, 317
- catalysts 577
Membranes 609
Mercapto-chitin 681
Mercaptoacetic acid 593
Metal phthalocyanine 601
Metal poly(styrene-*co*-ethyl methacrylate) 569
Metal polymers 569
Metal-aromatic diamine complexes 295
Metallocene catalyst 7
-/MAO catalyst 577
Methacrylate, hexyl sulfone stilbene chromophore 279
- macromonomer, homochiral 311
Methacrylonitrile 709
p-(2-Methacryloyloxyethoxy)-*N*-(4-nitrostilbenzylidene)aniline 533
Methyl α-acetoxyacrylate 709
(R)/(S)-Methyl β-hydroxyisobutyrate 311
Methyl cyanoacetate 525
Methyl methacrylate 27, 325
- /alkyl acrylate 667
-, mercapto-chitin 681
-, LDPE, iron(III) oxide 495
Methyl *p*-(2-vinyloxyethoxy)benzylidene cyanoacetate 525
Methylaluminoxane (MAO) 165, 317
2-Methylaziridine 157
4,4'-Methylenedianiline 609
4,5-Methylenephenanthrene 19
Methylmethacrylate/4-phenylbut-1-en-3-yne 287
4-[(1'-Methylpropyl)oxycarbonyl]-2-oxetanone 585
Microphase separation transition 103
- - - temperature 375
Molecular silverware algorithm 645

Natural rubber 197, 759
Nickel-P^O complex 331
Nitrile-N-oxide 673
4-*N*-Nitroazobenzene 407
NLO chromophore 279
- polymers 533
- -, photocrosslinkable second-order 407
NMR relaxation 209
NO_2 gas sensor device 601
Nonlinear optical polymers 279, 407, 533
NR/BR/cellulose II 759
Nylon-6,6 645
Nylon-6,12 fibers 629

1-Octadecene 7
Octamethylcyclotetrasiloxane 173
Olefins, copolymerization 249
Oligo-oxyethylene methacrylate 73
Oligoisobutene 95
Oligopropene macromonomers, mono(1,3-oxazolin-2-yl)-terminated 303
Order-disorder transition 43
Order-order-transition 43
Oxidation, thermal 347
4,4'-Oxydianiline 67, 609
Oxymethylene 173

Palladium-catalyzed decarboxylative polymerization of cyclic carbonate 265
PEG-modified urethane acrylates 737
Pentadiene, cationic polymerization, allylic halides 443
Phase transfer catalysis 717
Phase transformation toughening 119
4-Phenylbut-1-en-3-yne/methylmethacrylate 287
Phosgene 717
Photoconductivity 203
Piezoelectric polymers 149
α-Pinene 1
PMMA, uniform star 399
Poly(alkyleneimine)s 157
Poly(alkylvinylether)s 525
Poly(amic-ester)s 609
Poly(amido-carbonate)s 717
Poly(amido-thiocarbonate)s 717
Poly(arylene)s, fluorescent, polycycloaddition 673
Poly(butadiene)-*g*-poly(glycidyl azide) 695
Poly(butyl acrylate)/epoxy acrylate 141

Poly(diethylene glycol bis(allyl carbonate)) 617
Poly(2,5-dimethyl-3-vinyl thiophene) 181
Poly(dipropargyl-16-crown-5) 391
Poly(ethene-*co*-4-vinylcyclohexene) 577
Poly(ether ether ketone), scratch hardness 767
Poly(ethylene glycol) 73
Poly(ethylene ketone) 645
Poly(ethylene terephthalate) 125, 645
Poly(ethylene-*alt*-propylene-block-polyethylethylene-block-polystyrene 43
Poly(ethylene-*co*-vinyl alcohol-*co*-vinyl mercaptoacetate) (EVALSH) 593
Poly(glycidyl azide) 695
Poly(1,6-hexanediyl isophthalate) 541
Poly(1,6-hexanediyl *o*-phthalate) 541
Poly(1,6-hexanediyl terephthalate) 541
Poly(2-hydroxyethyl methacrylate)/poly(styrene-*co*-dialkyl itaconates) 511
Poly(L-lactide) 311
Poly(malic acid) 35
Poly(5-methoxy-2-vinyl thiophene) 463
Poly(methyl methacrylate) 423, 637, 681
-, three-arm star 399
Poly(methyl methacrylate-*co*-*N*,*N*-dimethylaminopropylamide) 325
Poly(2-methylaziridine) 157
Poly(MMA-co-tBA) 667
Poly(oligo-oxyethylene methacrylate) 73
- -*co*-alkali metal acrylamidocaproate 427
Poly[*N*-oligopropene-1-carbonyl-ethyleneimine] 303
Poly(oxymethylene-*co*-dimethylsiloxane) 173
Poly(oxypropylene)diols 233
Poly(phenylene oxide)/polystyrene 79
Poly(phenylene sulfide), crystallization, curing 489
Poly(*p*-phenylene terephthalamide) 125
Poly(polyester-*block*-polyamide) 455
Poly(R-β-hydroxybutyrate) 311
Poly(styrene-*b*-paramethylstyrene) block 103
Poly(styrene-*co*-dialkyl itaconates) 511
Poly(tetrafluoroethylene) films, friction-deposited, oriented 471
Poly(2-trimethylsilyl-1,4-phenylene vinylene) 383
Poly(vinyl chloride) 209
- resistance, UV-light 753
Poly(*N*-vinyl-2-pyrrolidone)/poly(styrene-*co*-dialkyl itaconates) 511
Poly(*N*-vinylcarbazole) C_{60}-modified 203
Polyacrylamide/Cr(III) hydrogels, viscoelastic properties 483
Polyacrylic acid-Cu^{2+}-protein 623
Polyamic acid 67
Polyamides 455
- macromonomers/methyl methacrylate 703
Polyamide 24 659
Polycarbonate, temperature studies 341
Polycondensation, enzyme-catalyzed 541
-, interfacial 609
Polycycloaddition, 1,3-dipolar 673
Polydi(3,4-dihydro-2H-pyran-2-methyl) adipate hydrogel 273
1,2-Polydiene 19
Polyelectrolyte 549
Polyester/polyamide 455
Polyesters, functional 585
-, thermotropic 369
Polyethylene 165
-, branched, crystallization 361
- film, liquid phase photograft polymerization 503
-, linear, nucleation effect 361
-, low density (LDPE) 495
-, short aramid-fiber reinforced UHMW 213
Polyethylene/acrylamide 723
Polyethylene succinamide (Polyamide 24) 659
Polyhydrogenmethylsiloxane 67
Polyimide 67
Polyisobutene 95
Polyisobutylenes 557
Polymer crystal silverware 645
Polymer thermal oxidation, induction period 347
Polymethylsilsesquinoxane, polyimide 67
Polyolefins 577
Polyols 273
Polypropylene 209
-/polystyrene, atactic 687
Polysaccharides 111, 681
Polysiloxane 67
Polystyrene 637
-, amorphous, fatigue 477
-, atactic 687
-, disiloxane linkage 652
Polyterahydrofuran macroinimer 27
Polytitazane cobaly(III), magnesium oxide-supported 1
Polyurethane hydro-xerogels 737
- ionomers, bromine-containing 189
- networks 233
Polyvinyl heterocycles 181, 463
Polyvinylidene fluoride 241
PPO/PS 79
PPS 489
Propellant binder 695
Propene/1-hexene 249
Protic impurities 19
Proton spin-lattice relaxation time 209
PVC 209
-, low-polar isobutylene polymerization 557
- modification, bifunctional thiol 13
- resistance, UV-light 753
PVDF 241

Radiation damage 623
Radioprotector 623
Random-phase-approximation 43
Relaxation times 637
Ring-opening polymerization, π-allylpalladium complex 265

SANS 103
Scanning force microscopy (SFM) 471

Scanning rate, DSC 355
Scratch hardness, PEEK 767
SEM 517, 773
Semiconductor clusters, nanometer-sized 337
Semicrystalline polymer, phase transformation toughened 119
SFM 471
Shear 773
Silk fibroin 659
Siloxane linkage 652
Size exclusion chromatography 729
Sodium dodecyl sulfate 723
Spacer, disiloxane linkage 652
Spherulite, noncrystalline two-dimensional hydrogen-bond assembly 95
Star polymers 399
Stilbene, 4-substituted, benzoyloxy radical 423
Styrene 19, 59, 197
-, diphenylzinc-additive 449
Styrene-*co*-dimethyl itaconate 511
Styrene-*co*-ethyl methacrylate 569
Surfactant, photosensitive 197

Tensile curve 125
1-Tetradecene 7
Tetraisobutyldialuminoxane 317
1,1,3,3-Tetramethyl-2,3-dihydro-1H-isoindol-2-yloxyl 435
2,3,5,6-Tetramethylterephthalodinitrile oxide 673
Thermoplastics, nylon 629
Thiophosgene 717
Titanium catalyst 7
p-Toluenesulfonic acid 549
Toughening 119
Transcrystalline morphology 517
Triflic acid 173
Trifluoride etherate 157
Trimethylaluminum 165
1,3,5-Trioxane 173

Ultra-high molecular weight polyethylene (UHMWPE) 213
4-Urazoyl benzoic acid 95
Urethane acrylates, PEG-modified 737

Vanadium catalysts 563
Vinyl chloride/2-chloropropene 557
Vinyl ethers 273
Vinyl heterocycles 181, 463
Vinyl mercapto-acetate 593
Vinyl polymers 325
4-Vinylcyclohexene 577
Vinylidene cyanide/methacrylonitrile/acrylonitrile 709
p-(2-Vinyloxyethoxy)benzylidenemalononitrile 525
Viscoelasticity, nonlinear 477

Wear resistance 213
Weathering resistance 753

Zinc alkoxide 265
Zinc phthalocyanines, NO_2 gas sensor device 601
Zirconocene 7, 667